

Kent

Swing Arm 3000K

Fixture Type:	
Catalog Number:	
Project:	
Location:	

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PL-50011 11"	3000K 90	AB Aged Brass BK Black BN Brushed Nickel	8W	120 VAC	600	287

Example: PL-50011-BN

For custom requests please contact customs@waclighting.com

DESCRIPTION

Influential and substantial. Showcase artwork or bookcases with stylish LED illumination.

FEATURES

- Light source is 180 degrees rotatable
- · ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI: 90


Dimming: ELV: 100-10%
Rated Life: 54000 Hours
Standards: ETL, cETL

Damp Location Listed


Construction: Aluminum hardware with acrylic diffuser



FINISHES:



LINE DRAWING:



1



Kent

Swing Arm 3000K

Fixture Type:	
Catalog Number:	
Project:	
Location:	

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PL-50017 17"	3000K 90	AB Aged Brass BK Black BN Brushed Nickel	12W	120 VAC	1000	478.73

Example: PL-50017-BN

For custom requests please contact customs@waclighting.com

DESCRIPTION

Influential and substantial. Showcase artwork or bookcases with stylish LED illumination.

FEATURES

- Light source is 180 degrees rotatable
- · ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI: 90


Dimming: ELV: 100-10%
Rated Life: 54000 Hours
Standards: ETL, cETL

Damp Location Listed


Construction: Aluminum hardware with acrylic diffuser



FINISHES:



LINE DRAWING:





Kent

Swing Arm 3000K

Fixture T	/pe:
Catalog N	lumber:
Project:	

Model & Size	Color Temp & CRI	Finish	Watt	Voltage	LED Lumens	Delivered Lumens
PL-50023 23"	3000K 90	AB Aged Brass BK Black BN Brushed Nickel	18W	120 VAC	1400	791.71

Example: PL-50023-BN

For custom requests please contact customs@waclighting.com

DESCRIPTION

Influential and substantial. Showcase artwork or bookcases with stylish LED illumination.

FEATURES

- Light source is 180 degrees rotatable
- · ACLED driverless technology
- 5 Year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120 VAC,50/60Hz

CRI: 90


Dimming: ELV: 100-10%
Rated Life: 54000 Hours
Standards: ETL, cETL

Damp Location Listed

Construction: Aluminum hardware with acrylic diffuser



FINISHES:



Location:

LINE DRAWING:

