

Uptown

Swing Arm 3000K

| Fixture Type: |
|-----------------|
| Catalog Number: |
| Project: |
| Location: |

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|-------------------------------|------|------------|------------------|----------|
| PL-52017 17" | 3000K 90 | BK Black BN Brushed Nickel | 13W | 1047.8 | 882.637 | YES |

Example: PL-52017-BN

For custom requests please contact customs@waclighting.com

DESCRIPTION

Robust LED illumination. Preserve colors in artwork while delivering superior color rendering.

FEATURES

- Light source rotates 180 degrees
- Slim profile, contemporary design
- Driver conceals within the canopy
- Conversion plate for 4" J box included
- 5 Year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120-277 VAC,50/60Hz

CRI: 90

Dimming: ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%

Rated Life: 50000 Hours


Standards: ETL, cETL, Title 24 JA8-2019 Compliant

Damp Location Listed


Construction: Aluminum hardware with acrylic diffuser



FINISHES:



LINE DRAWING:





Uptown

Swing Arm 3000K

| Fixture Type: | |
|-----------------|--|
| Catalog Number: | |
| Project: | |
| Location: | |

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|-------------------------------|------|------------|------------------|----------|
| PL-52025 25" | 3000K 90 | BK Black BN Brushed Nickel | 16W | 1326.4 | 926.455 | YES |

Example: PL-52025-BN

For custom requests please contact customs@waclighting.com

DESCRIPTION

Robust LED illumination. Preserve colors in artwork while delivering superior color rendering.

FEATURES

- Light source rotates 180 degrees
- Slim profile, contemporary design
- Driver conceals within the canopy
- Conversion plate for 4" J box included
- 5 Year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120-277 VAC,50/60Hz

CRI: 90

Dimming: ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%

Rated Life: 50000 Hours

Standards: ETL, cETL, Title 24 JA8-2019 Compliant

Damp Location Listed


Construction: Aluminum hardware with acrylic diffuser



FINISHES:



LINE DRAWING:





Uptown

Swing Arm 3000K

| Fixture Type: |
|-----------------|
| Catalog Number: |
| Project: |
| Location: |

| Model & Size | Color Temp & CRI | Finish | Watt | LED Lumens | Delivered Lumens | Title 24 |
|--------------|------------------|-------------------------------|------|------------|-------------------------|----------|
| PL-52034 34" | 3000K 90 | BK Black BN Brushed Nickel | 25W | 1771.5 | 1328.87 | YES |

Example: PL-52034-BN

For custom requests please contact customs@waclighting.com

DESCRIPTION

Robust LED illumination. Preserve colors in artwork while delivering superior color rendering.

FEATURES

- Light source rotates 180 degrees
- Slim profile, contemporary design
- Driver conceals within the canopy
- Conversion plate for 4" J box included
- 5 Year warranty

SPECIFICATIONS

Color Temp: 3000K

Input: 120-277 VAC,50/60Hz

CRI: 90

Dimming: ELV: 100-10%, 0-10V: 100-5%, TRIAC: 100-5%

Rated Life: 50000 Hours

Standards: ETL, cETL,Title 24 JA8-2019 Compliant

Damp Location Listed

Construction: Aluminum hardware with acrylic diffuser



FINISHES:



Nickel

LINE DRAWING:

